

RECEIVED

SHEET 1 OF 2

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. GENENT.046DV1	APPLICATION NO. 10/021,121	MAY 01 2002
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		TECH CENTER 1600/2900		
USE SEVERAL SHEETS IF NECESSARY)		RECEIVED		
APPLICANT Caras et al.		GROUP Unknown 1647 APR 04 2002		
FILING DATE December 6, 2001		TECH CENTER 1600/2900		

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)

FOREIGN PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
							YES	NO
GN	1.	WO 95/27060	12.10.95	PCT				
	2.	WO 95/28484	10.26.95	PCT				
	3.	WO 97/15667	01.05.97	PCT				
	4.	WO 97/40153	30.10.97	PCT				

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
GN	5	Andres et al., "Expression of two novel eph-related receptor protein tyrosine kinases in mammary gland development and carcinogenesis" <u>Oncogene</u> 9:1461-1467 (1994)
	5.	Bartley et al. "B61 is a ligand for the ECK receptor protein-tyrosine kinase" <u>Nature</u> 368:558-560 (1994)
	6.	Beckman et al., "Molecular characterization of a family of ligands for eph-related tyrosine kinase receptors" <u>EMBO J.</u> 13:3757-3762 (1994)
	7.	Bennett et al., "Molecular cloning of a ligand for the EPH-related receptor protein-tyrosine kinase Htk" <u>Proc. Natl. Acad. Sci. USA</u> 92:1866-1870 (March 1995)
	9	Bennett et al., "Cloning and Characterization of HTK, a Novel Transmembrane Tyrosine Kinase of the EPH Subfamily" <u>Journal of Biological Chemistry</u> 269(19):14211-14218 (1994)
	10	Berkemeyer et al., Neurotrophin-5: A Novel Neurotrophic Factor That Activates trk and trkB" <u>Neuron</u> 7:857-866 (November 1991)
	8.	Bohme et al., "PCR mediated detection of a new human receptor-tyrosine-kinase HEK2" <u>Oncogene</u> 8:2857-2862 (1993)
	9.	Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions" <u>Science</u> 247:1306-1310 (1990)
GN	11	Buj-Bello et al., "GDNF Is an Age-Specific Survival Factor for Sensory and Automatic Neurons" <u>Neuron</u> 15:821-828 (1995)

EXAMINER	<i>Guib</i>	DATE CONSIDERED	4/12/04
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.			

MAY 01 2002

SHEET 2 OF 3

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. TECH CENTER 1600/2900 GENENT.046DV1	APPLICATION NO. 10/021,121
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Caras et al.	RECEIVED APR 04 2002
(USE SEVERAL SHEETS IF NECESSARY)		FILING DATE December 6, 2001	GROUP Unknown 1647

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
EN	10. Burgess et al., "Possible Dissociation of the Heparin-binding and Mitogenic Activities of Heparin-binding (Acidic Fibroblast) Growth Factor-1 from Its Receptor-binding Activities by Site-directed Mutagenesis of a Single Lysine Residue" <u>The Journal of Cell Biology</u> 111:2129-2138 (1990)
	11. Chan and Watt, "cek and erk, new members of the eph subclass of receptor protein-tyrosine kinases" <u>Oncogene</u> 6:1057-1061 (1991)
	12. Cheng et al., "Complementary Gradients in Expression and Binding of ELF-1 and Mek4 in Development of the Topographic Retinotectal Projection Map" <u>Cell</u> 82:371-381 (1995)
	13. Cheng et al., "Identification and Cloning of ELF-1, a Developmentally Expressed Ligand for the MEK4 and Sck Receptor Tyrosine Kinases" <u>Cell</u> 79:157-168 (1994)
	14. Davis et al., "Ligands for EPH-Related Receptor Tyrosine Kinase That Require Membrane Attachment or Clustering for Activity" <u>Science</u> 266:816-819 (November 4, 1994)
	15. Drescher et al., "In Vitro Guidance of Retinal Ganglion Cell Axons by RAGS, a 25 kDa Tectal Protein Related to Ligands for Eph Receptor Tyrosine Kinases" <u>Cell</u> 82:359-370 (1995)
	16. Fox et al., "cDNA cloning and tissue distribution of five human EPH-like receptor protein-tyrosine kinases" <u>Oncogene</u> 10(5):897-905 (1995)
	17. Frommel and Holzhtuter, "An Estimate on the Effect of Point Mutation and Natural Selection on the Rate of Amino Acid Replacement in Proteins" <u>J. Mol. Evol.</u> 21:233-257 (1985)
	18. Gale et al., "Elk-L3, a Novel Transmembrane Ligand for the Eph Family of Receptor Tyrosine Kinases, Expressed in Embryonic Floor Plate, Roof Plate and Mindbrain Segments" <u>Oncogene</u> 13:1343-1352 (1996)
	19. Gilardi-Hebebreit et al., "An Eph-related receptor protein tyrosine kinase gene segmentally expressed in the developing mouse hindbrain" <u>Oncogene</u> 7:2499-2506 (1992)
	20. Hefti, F., "Nerve Growth Factor Promotes Survival of Special Cholinergic Neurons After Fimbrial Transections" <u>J. of Neuroscience</u> 6(8):2155-2162 (August 1996)
	21. Hendersen et al., "GDNF: A Potent Survival Factor for Motoneurons Present in Peripheral Nerve and Muscle" <u>Science</u> 266:1062-1064 (1994)
	22. Heumann, R., "Regulation of the Synthesis of Nerve Growth Factor" <u>J. Exp. Biol.</u> 132:133-150 (1987)
	23. Hillier et al. "EMBL Database Entry HS006163" <u>The WashU-Merck EST Project</u> (Accession No. H10006) (July 2, 1995)
	24. Hillier et al., "EMBL Database Entry Hs7001" <u>LERK-8, A ligand for the EPH-Related Receptor Tyrosine Kinases</u> (Accession No. U57001) (July 31, 1996)
	25. Hirai et al., "A Novel Putative Tyrosine Kinase Receptor Encoded by the eph Gene" <u>Science</u> 238:1717-1720 (1987)
	26. Kiyokawa et al., "Overexpression of ERK, an EPH Family Receptor Protein Tyrosine Kinase, in Various Human Tumors" <u>Cancer Res.</u> 54 (14):3645-50 (1994)
	27. Lai et al., "An Extended Family of Protein-Tyrosine Kinase Genes Differentially Expressed in the Vertebrate Nervous System" <u>Neuron</u> 6: 691-704 (1991)
✓	28. Lazar et al., "Transforming Growth Factor α" Mutation of Aspartic Acid 47 and Leucine 48 Results in Different Biological Activities" <u>Molecular and Cellular Biology</u> 8(3):1247-1252 (1988)
GP	29. Leibrock et al., "Molecular cloning and expression of brain-derived neurotrophic factor" <u>Nature</u> 341:149-152 (1989)

EXAMINER <i>g mikes</i>	DATE CONSIDERED 4/12/04
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 608; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.	

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. GENENT.046DV1	APPLICATION NO. 10/021,211
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		APPLICANT Caras et al.	GROUP Unknown
(USE SEVERAL SHEETS IF NECESSARY)		FILING DATE December 8, 2001	1647

RECEIVED
APR 04 2002
TECH CENTER 1600/2900

RECEIVED
MAY 01 2002

EXAMINER INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
GTW	30. Lhotak et al., "Characterization of Elk, a Brain-Specific Receptor Tyrosine Kinase" <u>Mol Cell Biol</u> 11:2496-2502 (1991)
	31. Maisonnier et al., "Ehk-1 and Ehk-2: two novel members of the Eph receptor-like tyrosine kinase family with distinctive structures and neuronal expression" <u>Oncogene</u> 8:3277-3268 (1993)
	32. Maisonnier et al., "Neurotrophin-3: A Neurotrophic Factor Related to NGF and BDNF" <u>Science</u> 247:1446 (1990)
	33. Ngo et al. "Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox" <u>The Protein Folding Problem and Tertiary Structure Prediction</u> Merz (ed) pp 433,442-225 (1994)
	34. Pandey et al., "Role of B61, the ligand for te Eck Receptor Tyrosine Kinase, in TNF- α -Induced Angiogenesis" <u>Science</u> 268:567-569 (1995)
	35. Pasquale et al., "Identification of a developmentally regulated protein-tyrosine kinase by using anti-phosphotyrosine antibodies to screen a cDNA expression library" <u>Proc. Natl. Acad. Sci. USA</u> 86:5449-5453 (1989)
	36. Ramch and Armelin, "Tantigens 'role in ployomavirus transformation:c-myc but not c-fos or c-jun expression is a target for middle T." <u>Oncogene</u> 6:1049-1056(1991)
	37. Rudinger, J. "Characteristics of the amino acid as components of a peptide hormone sequence", <u>Peptide Hormones</u> J.A. Parsons, University Park Press, Baltimore pp.1-17 (June 1976)
	38. Saijadi et al., "Identification of a New eph-Related Receptor Tyrosine Kinase Gene From Mouse and Chicken That Is Developmentally Regulated and Encodes at Least Two Forms of the Receptor" <u>New Biol.</u> 3(8):760-78 (1991)
	39. Saijadi et al., "Five novel avian Eph-related tyrosine kinases are differentially expressed" <u>Oncogene</u> 8:1870-13 (1993)
	40. Tang et al., "c DNA Cloning, Chromosomal Localization, and Expression Pattern of EPLG8, a New Member of the EPLG Gene Family Encoding Ligands of EPH-Related Portein-Tyrosine Kinase Receptors" <u>Genomics</u> 41:17-24 (1997)
	41. Thoenen et al., " Physiology of Nerve Growth Facotr" <u>Annu Rev. Physiol.</u> 60:284-335 (1980)
	42. Tuzi et al., "epf, the largest known family of putative growth factor receptors" <u>Br. J. Cancer</u> 69:417-421 (1994)
	43. Wicks et al., "Molecular cloning of HEK, the gene encoding a receptor tyrosine kinase expressed by human lymphoid tumor cell lines" <u>Proc. Natl. Acad. Sci. USA</u> 89(5):1611-1615 (1992)
	44. Winslow et al., "Cloning of AL-1, a Ligand for an Eph-Related Tyrosine Kinase Receptor Involved in Axon Bundle Formation" <u>Neuron</u> 14:973-981 (May 1995)
CD	45. Zhou et al., "Isolation and Characterization of Bsk, a Growth Factor Receptor-Like Tyrosine Kinase Associated With the Limbic System" <u>J. Neurosci. Res.</u> 37:129-143 (1994)

EXAMINER <i>Guib</i>	DATE CONSIDERED 4/12/04
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.	